

6-Food Elimination for Eosinophilic Esophagitis

Research shows a strong connection between food allergies and eosinophilic esophagitis (EOE). These six foods are most commonly associated with this allergic response: **dairy**, **wheat**, **soy**, **eggs**, **nuts**, **and seafood/shellfish**.

Unfortunately, there is no accurate test to identify food allergies connected with EOE. Elimination diets help to identify food allergies and improve your condition.

How to do an elimination diet

Step 1. Plan

Work with your healthcare team to identify which foods might be causing symptoms. Plan a time to start the diet when you know you can be successful. Prepare yourself by having the foods you will need on hand and prep as much as possible in advance.

Step 2. Eliminate

Remove all 6 foods from your diet for **4-6 weeks** without any exceptions. It is important to read food labels and use caution when dining out, since you have less control over the ingredients in restaurants.

Step 3. Challenge

If your symptoms have not improved after 4-6 weeks, follow up with your health care provider.

If your symptoms have improved, start the challenge phase with ONE of the foods you stopped eating at a time. As you do this, write down your symptoms.

Symptoms of a failed food challenge may range from mild reflux, or pains, to severe cramps, vomiting, or difficulty swallowing – even food impaction. Any of these changes after reintroducing a food should be written down and considered a reaction. It is common for EOE food reactions to be delayed for hours or even days from exposure.

Challenge Instructions:

- 1. Introduce ONE new food per week. (Dairy, wheat, soy, eggs, nuts, **or** seafood/shellfish)
- 2. Add 1 serving of the food in the morning. (Example: glass of milk or 1 slice of bread)
- 3. If you don't notice any symptoms, eat 2 larger portions in the afternoon and evening.
- 4. Over the next 3 days, continue to eat at least 1 serving of the food per day.
- 5. If the food does not cause symptoms, it is considered safe.
- 6. Wait to add the safe food back into your diet until the other food challenges are complete.



Dairy Elimination

Foods to avoid	What to eat	Brand Examples
 Milk (cow, goat, and sheep) Buttermilk Condensed milk Cream/artificial cream Evaporated milk Butter, butter oil Ghee Margarine Cheese Ice Cream Yogurt Sour Cream Some mayonnaise and some salad creams Ingredients that contain dairy: Casein (curds), Hydrolyzed casein Caseinates, calcium or sodium caseinate Lactoglobulin Lactose Milk powder Milk powder Milk protein Milk sugar Milk solids, Non-fat milk solids Modified milk Whey, Whey solids, Hydrolyzed whey, Hydrolyzed whey, Hydrolyzed whey protein, Whey protein 	 Coconut, hemp, oat, or rice milk Dairy-free yogurts Dairy-free cheeses Coconut ice cream Hemp products Coconut milk products 	Milk: Pacific Foods, So Delicious, Rice Dream, Blue Diamond Yogurt: Coconut Dream, Good KARMA, So Delicious yogurts Cheese: Daiya Frozen Dessert: Haagen-Dazs Non-Dairy, So Delicious, Coconut Bliss Butter: Earth Balance, Smart Balance



Wheat Elimination

Foods to avoid	What to eat	Brand Examples
 Bran Bulger Couscous Durum Einkorn Emmer Farina Farro Flour (wheat – all purpose, cake, enriched, graham, pastry) Gluten Hydrolyzed wheat protein Kamut Semolina Spelt Wheat (berries, bran, grass, malt, starch) Ingredients may contain wheat: Artificial/natural flavoring Caramel color Dextrin Food starch*, gelatinized starch, Glucose syrup Hydrolyzed or textured vegetable protein Maltodextrin Monosodium glutamate Oats Soy sauce, shoyu, teriyaki Beer Bouillon cubes Brown rice syrup Candy, Licorice Deli meats, hot dogs, sausage, imitation fish Communion wafers French Fries Gravy, sauces, soups Seitan 	Gluten-free foods Wheat substitutes:	Grains: Bob's Red Mill Breads: Canyon Bakehouse, Udi's, Food for Life, New Cascadia Traditional Cereals: Nature's Path, Arrowhead Mills, GF Chex Crackers: Blue Diamond Nut Thins (contain dairy), Mary's Gone Crackers, Glutino Pasta: Barilla, POW Wraps: Rudi's, Mission



Egg Elimination

Foods to avoid	What to eat	Brand Examples
 Eggs (yolks, whites, dried, powdered, and solids) Egg substitites (e.g. EggBeaters) Eggnog Egg noodles Egg sauces (hollandaise, bernaise) Baked goods (bagels, some breads, cookies, cakes, donuts, muffins, pancakes, waffles) Batters Caesar dressing Cream fillings Cream fillings Custard-type desserts Crepes French toast Frostings (some) Ice cream (some) Malted milk mixes (Ovaltine) Mayonnaise Meatloaf, meatballs, sausages, bologna Meringue Mousse Pastas (fresh) Puddings Soups (noodle/consume, egg drop, wonton) Tartar sauce Ingredients may contain egg: Albumin Binder Coagulant Gobulin Lecithin (unless soy) 	 Egg substitutes (1 egg): ¼ cup applesauce ¼ cup mashed banana 1 Tbsp ground flax + 3	 EnerG egg replacer OrgraN Bob's Red Mill Gluten Free Vegan Egg Replacer



Soy Elimination

Foods to avoid	What to eat	Brand Examples
 Edamame Miso Natto Shoyu Soy (soy cheese, soy flour, soy ice-cream, soy milk, soy nuts, soy yogurts) Soy sauce, tamari Soya Tempeh Textured Vegetable Protein (TVP) Tofu, bean curd 	 Soy sauce substitute, Coconut Aminos Soy lecithin is OK Refined soybean oil is OK 	Coconut Secret Coconut Aminos (soy sauce substitute)

Peanuts and Tree Nut Elimination

Foods to avoid	What to eat	Brand Examples
 All tree nuts (walnut, almond, hazelnut, cashew, pistachio, Brazil nut) Nut butters Natural nut extract Nut meal, past, meat, pieces Cold pressed, expeller or extruded peanut or tree nut oils 	 Pine nuts are usually tolerated Coconut and coconut products Pumpkin, sesame and sunflower seeds Sunflower seed spread Heat-pressed peanut oil is OK 	Peanut butter alternatives: SunButter Once Again Organic Sunflower Seed Butter 88 Acres Don't Go Nuts Spread Bars: Enjoy Life go Raw Made Good 88 Acres

Fish & Shellfish Elimination

Foods to avoid	What to eat	Brand Examples
 All fish All crustacea (shrimp, crab, lobster) All mollusks (oysters, clams, mussels, scallops) Remember that finned fish and shellfish are not related. Being allergic to one does not mean that you must avoid both. 	 Poultry Beef Bison Pork Lamb Venison Elk Beans Lentils Pea protein 	

Reading a Food Label

Dairy Example:

There are three ways dairy may be indicated on a label. See examples below:

- 1. Within ingredient list in parenthesis ()
 - INGREDIENTS: CASEIN (MILK), DIPOTASSIUM PHOSPHATE, NATURAL FLAVOR
- 2. Within ingredient list in **BOLD**.
 - INGREDIENTS: MILK CASEIN, DIPOTASSIUM PHOSPHATE, NATURAL FLAVOR
- 3. As a separate statement after the ingredient list. See example below:
 - INGREDIENTS: CASEIN, DIPOTASSIUM PHOSPHATE, NATURAL FLAVOR CONTAINS: MILK



Sample Menus: 6-Food Elimination Diet

	Day 1	Day 2
Breakfast	Breakfast sausage or ham with 1 banana or apple and 2 Tbsp sunflower seed butter	Smoothie: unsweetened coconut or hemp milk, banana, blueberries, greens, pea or collagen protein powder
Lunch	Green salad with chicken, black beans, salsa, and avocado	Chicken salad, lettuce, GF wrap, side of olives and grapes
Dinner	Pot roast with potatoes, carrots, and green beans	BBQ chicken, sweet potato, and slaw or side salad
Snack	GF crackers with avocado and salsa	Veggie sticks with hummus Fruit with sunflower seed butter

	Day 3	Day 4
Breakfast	GF Oatmeal (prepared with milk alternative) blueberries, hemp seeds Coffee (w/coconut creamer)	Allergen free waffle with 100% pure maple syrup, berries Milk alternative
Lunch	Rice with beans, grilled vegetables, GF corn chips, lettuce, salsa, cheese substitute	GF wrap with chicken, vegan mayonnaise, avocado slices
Dinner	Grilled pork chop, GF pasta with vegetables Baked apple with cinnamon	Beef tenderloin, rice, olive oil, steamed broccoli Orange
Snack	Allergen free pretzels and hummus Coconut milk ice cream	Seed mixture with allergen free chocolate Mini rice cakes with sunflower seed butter



Resources

American Academy of Allergy Asthma & Immunology
https://www.aaaai.org/conditions-and-treatments/related-conditions/eosinophilic-esophagitis

American Partnership for Eosinophilic Disorders

https://apfed.org/resources/for-healthcare-providers-and-researchers/patient-handouts/

American College of Gastroenterology: http://patients.gi.org/topics/eosinophilic-esophagitis/